





TRACK MOUNTING







TB track TB TB006

230v TB track and accessories							
Code	Class	IP	QC	Description	Colour/s		
					Black	Satin silver	White
TB004	I	20	22	Connector • straight • 230v	•		•
TB006	I	20	22	Adaptor • 230v	•	•	•
TB008	I	20	22	Connector • 90° joint • 230v	•		•
TB120	I	20	22	Track • 1.2 metre • 230v 16amp 3 wire with power feed and end cap	•	•	•
TB240	I	20	22	Track • 2.4 metre • 230v 16amp 3 wire with power feed and end cap	•	•	•







TP010





230v TP track and accessories								
Code	Class	IP	QC	Description	Colour/s			
					Black	Satin silver	Silver	White
TP001	I	20	32	Adaptor • electrical and mechanical with 3 circuit position options • 230v	•	•		•
TP003	I	20	32	End cap	•		•	•
TP004	I	20	32	Connector • straight • 230v	•		•	•
TP005	I	20	32	Connector • 90° joint • 230v	•		•	•
TP006	I	20	32	Connector • T joint • 230v	•		•	•
TP007	I	20	32	Connector • X joint • 230v	•		•	•
TP008	I	20	32	TP track - 3 circuit - live end	•		•	•
TP009				Power cord and cup	•		•	•
TP010		20		TP track - 3 circuit - cable suspension kit - 3metre	•		•	
TP011	I	20	32	Connector • flexible joint • 230v	•		•	•
TP100	I	20	32	Track • 1 metre 230v 16amp 3 circuit for single circuit adaptor	•		•	•
TP200	I	20	32	Track • 2 metre 230v 16amp 3 circuit for single circuit adaptor	•		•	•
TP300	I	20	32	Track • 3 metre 230v 16amp 3 circuit for single circuit adaptor	•		•	•



PRT0001-BL • PRT0002-BL
PRT0003-W • PRT0004-W
PRT0005-SG • PRT0006-SG

PRT0007-B • PRT0008-B
PRT0009-W • PRT0010-W
PRT0011-SG • PRT0012-SG


Aluminium alloy with plastic gear box and PC reflector							
Code	CRI	Lamp/s		Lumen	Colour/s		
		 LED (Factory fitted)					
		3000K	4000K		Black	White	Silver grey
PRT0001-BL	>80	10w		600	•		
PRT0002-BL	>80		10w	600	•		
PRT0003-W	>80	10w		600		•	
PRT0004-W	>80		10w	600		•	
PRT0005-SG	>80	10w		600			•
PRT0006-SG	>80		10w	600			•

Aluminium alloy with plastic gear box and PC reflector							
Code	CRI	Lamp/s		Lumen	Colour/s		
		 LED (Factory fitted)					
		3000K	4000K		Black	White	Silver grey
PRT0007-B	>80	2 x 10w		1200	•		
PRT0008-B	>80		2 x 10w	1200	•		
PRT0009-W	>80	2 x 10w		1200		•	
PRT0010-W	>80		2 x 10w	1200		•	
PRT0011-SG	>80	2 x 10w		1200			•
PRT0012-SG	>80		2 x 10w	1200			•



LTS002


TB Track compatible



LTS002




LDL061



LDL061




LTS003



LTS003



EX18 / MINI KNUCKLE



EX18

LTS002 Aluminium body, metal bracket, plastic adaptor												
LDL061 Die-cast aluminium body												
LTS003 Aluminium body, metal bracket, plastic adaptor												
Code	Class	IP	QC	Lamp/s		Feature/s	Lumen	Colour/s			Options	
				LED (Factory fitted)	3000K 4000K			Beam angle	Black	Silver	White	TP Track & accessories
LTS002	I	20	22	•	7w	700	•	•	•	•	•	
LDL061	I	20	21	•	35w	1911	•	•	•	•	•	
LTS003	I	20	22	•	32w	3600	•	•	•	•	•	

Die-cast aluminium body											
Code	Class	IP	QC	Lamp/s		Feature/s	Colour/s			Options	
				Base	Max		Surface mount (Sold separately)	Satin silver	White	TP Track & accessories	TB Track & accessories
EX18	II	20	21	GU10 PAR16	50w	•	•	•	•	TP001	TB006